

# **DISTRICT NUTRITION PROFILE**

Led by IFPRI 🕅

**GODDA | JHARKHAND** 

**MARCH 2022** 

# **About District Nutrition Profiles:**

District Nutrition Profiles (DNPs) are available for 707 districts in India. They present trends for key nutrition and health outcomes and their cross-sectoral determinants in a district. The DNPs are based on data from the National Family Health Survey (NFHS)-4 (2015-2016) and NFHS-5 (2019-2020). They are aimed primarily at district administrators, state functionaries, local leaders, and development actors working at the district-level.



**Figure 1:** Map highlights district Godda in the state/UT of Jharkhand

Given the focus of India's national nutrition mission on child

undernutrition, the DNPs focus on the determinants of child undernutrition (Figure on the left). Multiple determinants of suboptimal child nutrition and development contribute to the

outcomes seen at the district-level. Different types of

interventions can influence these determinants. Immediate

determinants include inadequacies in food, health, and care for

infants and young children, especially in the first two years of life. Nutrition-specific interventions such as health service

delivery at the right time during pregnancy and early childhood

can affect immediate determinants. Underlying and basic

determinants include women's status, household food security,

hygiene, and socio-economic conditions. Nutrition-sensitive

interventions such as social safety nets, sanitation programs,

women's empowerment, and agriculture programs can affect

What factors lead to child undernutrition?

Optimum fetal and child nutrition and development

#### **IMMEDIATE DETERMINANTS**

Breastfeeding, nutrient-rich foods, caregiving practices, low burden of infectious diseases

# UNDERLYING AND BASIC DETERMINANTS

Women's status, sanitation and hygiene, food security, socioeconomic conditions

Source: Adapted from Black et al. (2008)

# NUTRITION-SPECIFIC INTERVENTIONS

Service delivery to mothers and infants along the continuum of care, access to health facilities

#### INTERVENTIONS THAT AFFECT UNDERLYING AND BASIC DETERMINANTS

Women's empowerment, sanitation, agriculture, and social safety net programs

# District demographic profile, 2019

Godda



1,012/1,000

Sex ratio (females per 1,000 males) of the total population



<u> 377,219</u>

Number of women of reproductive age (15-49 yrs)



underlying and basic determinants.

39,211

Total number of pregnant women registered for ANC



32,178

Number of live births



32,040

Number of institutional births



171,965

Total number of children under 5 vrs

#### Source:

IFPRI estimates - Headcount = Prevalence x Eligible projected population for each district in 2019. Prevalence estimates: NFHS-4 (2015-16) and NFHS-5 (2019-20) state/district factsheets and report. Projected population for 2019 (children <5yrs and women 15-49yrs) was estimated using Census 2011.

Data on number of pregnant women, live births, and institutional deliveries are from HMIS. NA: unavailable/implausible data

Citation: Singh. N., P.H. Nguyen, M. Jangid, S.K. Singh, R. Sarwal, N. Bhatia, R. Johnston, W. Joe, and P. Menon. 2022. District Nutrition Profile: Godda, Jharkhand. New Delhi, - India: International Food Policy Research Institute.

Acknowledgement: Financial support was provided by the Bill & Melinda Gates Foundation through POSHAN, led by the International Food Policy Research Institute. We thank Amit Jena (Independent Researcher) for design and programming support.














Jharkhand





# Burden of nutrition outcomes (2020)

Indicators	No. of children (<5 yrs)
Low-birth weight	NA
Stunted	67,703
Wasted	42,114
Severely wasted	19,226
Underweight	70,024
Overweight/obesity	8,134
Anemia	115,997
Total children	171,965


Note: NA refers to data unavailable for a given round of NFHS/Census.

## Points of discussion:

- · What are the trends in undernutrition among children under five years of age (stunting, wasting, underweight, and anemia)?
- What are the trends in overweight/obesity among children under five years of age in the district?

# The state of nutrition outcomes among women (15-49 years)

Godda








## Burden of nutrition outcomes (2020)

Indicators	No. of women (15-49 yrs)
Underweight	89,061
Overweight/obesity	40,174
Hypertension	70,050
Diabetes	49,718
Anemia (non-preg)	250,210
Anemia (preg)	25,550
Total women (preg)	39,211
Total women	377,219

Note: NA refers to data unavailable for a given round of NFHS/Census.

### Points of discussion:

- What are the trends in underweight and anemia among women (15-49 yrs) in the district?
- · What are the trends in overweight/obesity and other nutrition-related non-communicable diseases in the district?




#### Points of discussion:

• What are the trends in infant and young child feeding (early initiation of breastfeeding, exclusive breastfeeding, timely initiation of complementary feeding, and adequate diet)? What can be done to improve infant and young child feeding?

Note: NA refers to data unavailable for a given round of NFHS/Census.

- What are the trends in IFA consumption among pregnant women in the district? How can the consumption be improved?
- · What additional data are needed to understand diets and/or other determinants?



# Points of discussion:

- · How can the district increase women's literacy, and reduce early marriage, if needed?
- How does the district perform on providing drinking water and sanitation to its residents? Since sanitation and hygiene play an important role in improving nutrition outcomes, how can all aspects of sanitation be improved?
- How can programs that address underlying and basic determinants (education, poverty, gender) be strengthened?
- · What additional data are needed on food systems, poverty or other underlying determinants?

Demand for FP satisfied lodized salt Pregnancy registered (MCP card) ANC first trimester ≥ 4 ANC visits Weighing Birth preparedness counselling Breastfeeding counselling Tetanus injection Received IFA tab/syrup Deworming Food supplementation Institutional birth Financial assistance (JSY) Skilled birth attendant Postnatal care for mothers Postnatal care for babies Food supplementation Health & nutrition education Health checkup (ICDS) Full immunization Vitamin A Pediatric IFA Deworming Food supplementation (6-35 months) Weighing Counselling on child growth ORS during diarrhea Zinc during diarrhea Careseeking for ARI



### Note: NA refers to data unavailable for a given round of NFHS/Census.

#### Points of discussion:

· How does the district perform on health and nutrition interventions along the continuum of care? Does it adequately provide both prenatal and postnatal services to women of reproductive age, pregnant women, new mothers and newborns?

Preschool at AWC

Health checkup from AWC

· How has access to health and ICDS services changed over time (food supplementation, health and nutrition education and health checkups)?



